Ansys Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT[®] Version 2.4)

Name of Product/Version: Ansys Electronics Premium Maxwell 2021 R2

Report Date: September 2021

Product Description: Engineering Simulation Software

Contact Information: vpat@ansys.com

Notes: This document evaluates conformance for Maxwell software only.

Evaluation Methods Used: Testing was conducted based upon general knowledge of Ansys employees familiar with the product, who used assistive technologies to complete this report.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to:		All icons in Maxwell have a text alternative. Components
Revised Section 508	Software: Partially Supports	in the design area also have text alternatives. Progress bar can be expanded to show text percentages. Reports and plots can be outputted in text formats. Field Overlays rely on images.
• 501 (Web)(Software)	Software. Fartiany Supports	
 504.2 (Authoring Tool) 602.3 (Support Docs) 		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)		
Also applies to:		
Revised Section 508	Software: Supports	There are no audio-only or video-only components in Maxwell.
 501 (Web)(Software) 	Software. Supports	
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
1.2.2 Captions (Prerecorded) (Level A)		
Also applies to:		There is no prerecorded video content in Maxwell.
Revised Section 508	Software: Supports	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)		
Also applies to:		There is no time-based media in Maxwell.
Revised Section 508	Software: Supports	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.3.1 Info and Relationships (Level A)		
Also applies to:	Software: Supports	Hierarchical information in Maxwell (for example, the Project Manager and History trees) is preserved when a screen reader is used.
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
 1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	None of the content in Maxwell is sequential.
 1.3.3 Sensory Characteristics (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Partially Supports	In Maxwell, some field overlay information (such as magnetic flux) is presented using only shape and color.
 1.4.1 Use of Color (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Partially Supports	In Maxwell, some field overlay information (such as E fields volts per meter) is presented using only color.
 1.4.2 Audio Control (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	There is no audio that automatically plays in Maxwell.
 2.1.1 Keyboard (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		Maxwell cannot be operated using only a keyboard.
2.1.2 No Keyboard Trap (Level A)	Software: Does Not Support	In Maxwell, users cannot navigate from one window

Criteria	Conformance Level	Remarks and Explanations
Also applies to:		(Project Manager, Messages, Properties, etc.) to
Revised Section 508		another using tab and arrow keys, nor is any other
• 501 (Web)(Software)		method of doing so outlined by the software.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
Revised Section 508	Software: Supports	There are no time limits in Maxwell.
 501 (Web)(Software) 	Software. Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		All automatically undating content in Maxwell can be
Also applies to:		All automatically updating content in Maxwell can be hidden (for example, the Messages window and Real
Revised Section 508	Software: Supports	Time Mode for updating plots).
 501 (Web)(Software) 	Software. Supports	
• 504.2 (Authoring Tool)		Animated plots can be paused or stopped.
602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
Revised Section 508	Software: Supports	There is no flashing content in Maxwell.
 501 (Web)(Software) 	Software. Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
Revised Section 508	Software: Not Applicable	
 501 (Web)(Software) – Does not apply to non-web software 		
 504.2 (Authoring Tool) 		
 602.3 (Support Docs) – Does not apply to non-web docs 	1	
2.4.2 Page Titled (Level A)		
Also applies to:	Software: Not Applicable	
Revised Section 508		
• 501 (Web)(Software)		

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.3 Focus Order (Level A)		
Also applies to:		
Revised Section 508	Software: Supports	There is no sequential content in Maxwell.
 501 (Web)(Software) 	Software. Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
Revised Section 508	Software: Supports	Web links in Maxwell (under the Help menu, for
 501 (Web)(Software) 	Software. Supports	example) provide context.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.1.1 Language of Page (Level A)		
Also applies to:		
Revised Section 508	Software: Not Applicable	
 501 (Web)(Software) 		
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
3.2.1 On Focus (Level A)		
Also applies to:		
Revised Section 508	Software: Supports	Maxwell contains no elements that change context on focus.
 501 (Web)(Software) 	Software. Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.2.2 On Input (Level A)		
Also applies to:		Maxwell contains no context switching or unexpected behavior on user input. Forms are not automatically submitted, and windows do not launch without context/warning.
Revised Section 508	Software: Supports	
 501 (Web)(Software) 	Software. Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
 3.3.1 Error Identification (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Maxwell identifies errors either in pop-up windows or in the Message Manager window.
 3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	Fields requiring user input are labeled.
 4.1.1 Parsing (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Not Applicable	
 4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Software: Supports	User interface controls are compatible with assistive technology.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to:	Software: Supports	There is no live audio content in Maxwell.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
Revised Section 508	Software: Supports	There is no video content in Maxwell.
• 501 (Web)(Software)	Software. Supports	There is no video content in waxwell.
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.3 Contrast (Minimum) (Level AA)		Several graphics do not meet contrast requirements.
Also applies to:		The modeling workspace grid (#C3C3DE) only has a
Revised Section 508		contrast ratio of 1.72:1 with the background (#FFFFF).
 501 (Web)(Software) 	Software: Does Not Support	The text of grayed out ribbon items (#8C8C8C) only has
• 504.2 (Authoring Tool)		a contrast ratio of 2.93:1 with the ribbon background
602.3 (Support Docs)		(#EFEFF2). Different color schemes can be selected, but
		they do not improve the contrast ratios.
<u>1.4.4 Resize text</u> (Level AA)		
Also applies to:		
Revised Section 508	Software: Does Not Support	Text size cannot be increased without the use of assistive technologies.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)		
Also applies to:		
Revised Section 508	Software: Supports	In Maxwell, no essential text is in images only.
 501 (Web)(Software) 504 2 (Authorize Teel) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.5 Multiple Ways (Level AA)		
Also applies to:	Software: Not Applicable	
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		

Criteria	Conformance Level	Remarks and Explanations
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA)		
Also applies to:		
Revised Section 508	Software: Not Applicable	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA)		
Also applies to:		When text fields become active, a character appears in
Revised Section 508	Software: Supports	them. When buttons become active, they are highlighted. When table contents are active, they are either highlighted or outlined.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.1.2 Language of Parts (Level AA)		
Also applies to: Revised Section 508		
 501 (Web)(Software) 	Software: Not Applicable	
 501 (Web)(software) 504.2 (Authoring Tool) 		
 602.3 (Support Docs) 		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:		
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 	Software: Not Applicable	
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
3.2.4 Consistent Identification (Level AA)		
Also applies to:		
Revised Section 508	Software: Not Applicable	
501 (Web)(Software) – Does not apply to non-web software	Software. Not Applicable	
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		

Criteria	Conformance Level	Remarks and Explanations
3.3.3 Error Suggestion (Level AA)		
Also applies to:	Software: Supports	When an input error occurs, Maxwell suggests ways for users to correct the error.
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:	Software: Supports	Maxwell contains no legal or financial data, and has no irreversible data deletion actions.
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

Table 3: Success Criteria, Level AAA

Notes: Not evaluated. The product has not been evaluated for WCAG 2.0 Level AAA conformance.

Revised Section 508 Report

Notes: N/A

Chapter 3: Functional Performance Criteria (FPC)

Notes: Not evaluated. The requirements of this section are not relevant to the product for conformance.

Chapter 4: <u>Hardware</u>

Notes: Not evaluated. The product is a software application and is not subject to the requirements of this section.

Chapter 5: <u>Software</u>

Notes: Not evaluated. The requirements of this section are not relevant to the product for conformance.

Chapter 6: <u>Support Documentation and Services</u>

Notes: Not evaluated. The requirements of this section are not relevant to the product for conformance.

Legal Disclaimer (Ansys)

© 2021 ANSYS, Inc. (All rights reserved. Unauthorized use, distribution, or duplication is prohibited.

ANSYS, Inc. ("Ansys") provides this report solely for a preliminary understanding of the product's accessibility, to be used during contractual negotiations. This report is not legal advice, is not a certificate or warranty of compliance, and is provided "as is" for informational purposes only. Ansys is not responsible for errors or inaccuracies that may appear. As of the report date (detailed above) and to the best of its knowledge, this report represents the current opinion of Ansys regarding the product's accessibility. Ansys does not guarantee that the information in this report remains accurate after its publication, and Ansys may update this report as needed. Modifications, customizations, or alternations to the product may result in certain elements or all elements of this report becoming inapplicable.

If you have questions or believe that an element is stated incorrectly or incompletely, please contact vpat@ansys.com.